EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	210	(549/63).CCLS.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/01/09 13:19
L2	228	(549/64).CCLS.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/01/09 13:19
L3	581	(549/72).CCLS.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF .	2008/01/09 13:19
L4	491	(514/445).CCLS.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/01/09 13:19
L5	343	(514/447).CCLS.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/01/09 13:19
L6	438	(514/448).CCLS.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/01/09 13:19
L7	276	(549/69).CCLS.	US-PGPUB; USPAT; EPO; DERWENT	OR	·OFF	2008/01/09 13:20

1/9/08 1:20:56 PM Page 1

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1600RXA

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
                 Web Page for STN Seminar Schedule - N. America
NEWS
                 CAS REGISTRY enhanced with new experimental property tags
         AUG 06
     2
NEWS
         AUG 06
                 FSTA enhanced with new thesaurus edition
NEWS
     3
         AUG 13
                 CA/CAplus enhanced with additional kind codes for granted
NEWS
     4
                 patents
     5
         AUG 20
                 CA/CAplus enhanced with CAS indexing in pre-1907 records
NEWS
                 Full-text patent databases enhanced with predefined
NEWS 6
         AUG 27
                 patent family display formats from INPADOCDB
         AUG 27
     7
                 USPATOLD now available on STN
NEWS
                 CAS REGISTRY enhanced with additional experimental
NEWS 8
         AUG 28
                 spectral property data
                 STN AnaVist, Version 2.0, now available with Derwent
NEWS 9
         SEP 07
                 World Patents Index
NEWS 10
         SEP 13
                 FORIS renamed to SOFIS
NEWS 11
         SEP 13
                 INPADOCDB enhanced with monthly SDI frequency
NEWS 12
         SEP 17
                 CA/CAplus enhanced with printed CA page images from
                 1967-1998
                 CAplus coverage extended to include traditional medicine
NEWS 13
         SEP 17
                 patents
NEWS 14
         SEP 24
                 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
                 CA/CAplus enhanced with pre-1907 records from Chemisches
NEWS 15
        OCT 02
                 Zentralblatt
        OCT 19
                 BEILSTEIN updated with new compounds
NEWS 16
        NOV 15
                 Derwent Indian patent publication number format enhanced
NEWS 17
NEWS 18
        NOV 19
                 WPIX enhanced with XML display format
        NOV 30
NEWS 19
                 ICSD reloaded with enhancements
NEWS 20
        DEC 04
                 LINPADOCDB now available on STN
         DEC 14
NEWS 21
                 BEILSTEIN pricing structure to change
        DEC 17
NEWS 22
                 USPATOLD added to additional database clusters
NEWS 23
        DEC 17
                 IMSDRUGCONF removed from database clusters and STN
NEWS 24
         DEC 17
                 DGENE now includes more than 10 million sequences
NEWS 25
        DEC 17
                 TOXCENTER enhanced with 2008 MeSH vocabulary in
                 MEDLINE segment
         DEC 17
NEWS 26
                 MEDLINE and LMEDLINE updated with 2008 MeSH vocabulary
        DEC 17
NEWS 27
                 CA/CAplus enhanced with new custom IPC display formats
NEWS 28
        DEC 17
                 STN Viewer enhanced with full-text patent content
                 from USPATOLD
NEWS 29
        JAN 02
                 STN pricing information for 2008 now available
NEWS EXPRESS
              19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2,
              CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS
              STN Operating Hours Plus Help Desk Availability
NEWS LOGIN
              Welcome Banner and News Items
NEWS IPC8
              For general information regarding STN implementation of IPC 8
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 11:55:38 ON 09 JAN 2008

=> fil reg
COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL
ENTRY SESSION
1.05 1.05

FILE 'REGISTRY' ENTERED AT 11:58:22 ON 09 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 JAN 2008 HIGHEST RN 960198-43-0 DICTIONARY FILE UPDATES: 8 JAN 2008 HIGHEST RN 960198-43-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.


TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10542044.str




chain nodes : 6 7 8 9 10 11 12 ring nodes : 1 2 3 4 5 13 14 15 16 17 18 27 chain bonds : 6-7 6-8 9-10 10-11 10-12 14-23 23-24 24-25 ring bonds : 1-2 1-5 2-3 3-4 4-5 13-14 13-18 14-15 15-16 16-17 17-18 27-28 27-32 28-29 29-30 30-31 31-32 exact/norm bonds : 1-2 1-5 2-3 3-4 4-5 6-7 6-8 9-10 10-11 10-12 14-23 23-24 24-25 25-26 26-27 normalized bonds : 13-14 13-18 14-15 15-16 16-17 17-18 27-28 27-32 28-29 29-30 30-31 31-32 isolated ring systems : containing 1 : 13 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:Atom

L1 STRUCTURE UPLOADED

=> d L1 HAS NO ANSWERS L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11

SAMPLE SEARCH INITIATED 11:58:44 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 906 TO ITERATE

100.0% PROCESSED

906 ITERATIONS

33 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

16315 TO 19925

PROJECTED ANSWERS:

316 TO 1004

L2

33 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 11:58:50 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 17337 TO ITERATE

100.0% PROCESSED 17337 ITERATIONS


778 ANSWERS

SEARCH TIME: 00.00.01

L3

778 SEA SSS FUL L1

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10542044.str



chain nodes : 6 7 8 9 10 11 12 23 24 ring nodes : 15 16 17 18 27 28 29 1 2 3 4 5 13 14 chain bonds : 6-7 6-8 9-10 10-11 10-12 14-23 23-24 24-25 25-26 26-27 ring bonds : 1-2 1-5 2-3 3-4 4-5 13-14 13-18 14-15 15-16 16-17 17-18 27-28 27-32 28-29 29-30 30-31 31-32 exact/norm bonds : 1-2 1-5 2-3 3-4 4-5 6-7 6-8 9-10 10-11 10-12 14-23 23-24 24-25 25-26 26-27 normalized bonds : 13-14 13-18 14-15 15-16 16-17 17-18 27-28 27-32 28-29 29-30 30-31 31-32 isolated ring systems : containing 1 : 13 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:Atom

L4 STRUCTURE UPLOADED

=> d L4 HAS NO ANSWERS L4 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT * Structure attributes must be viewed using STN Express query preparation.

=> s 14 SAMPLE SEARCH INITIATED 12:01:33 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 135 TO ITERATE

100.0% PROCESSED 135 ITERATIONS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

> BATCH **COMPLETE**

PROJECTED ITERATIONS:

2003 TO 3397

PROJECTED ANSWERS:

2 TO 124

L5

2 SEA SSS SAM L4

=> s 14 full

FULL SEARCH INITIATED 12:01:37 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED -

2423 TO ITERATE

100.0% PROCESSED

2423 ITERATIONS


7 ANSWERS

2 ANSWERS

SEARCH TIME: 00.00.01

L6

7 SEA SSS FUL L4



chain nodes :

6 7 8 9 10 11 12 23

ring nodes :

1 2 3 4 5 13 14 15 16 17 18 27

chain bonds :

6-7 6-8 9-10 10-11 10-12 14-23 23-24 24-25 25-26 26-27

ring bonds :

1-2 1-5 2-3 3-4 4-5 13-14 13-18 14-15 15-16 16-17 17-18 27-28 27-32

28-29 29-30 30-31 31-32

exact/norm bonds :

1-2 1-5 2-3 3-4 4-5 6-7 6-8 9-10 10-11 10-12 14-23 23-24 24-25 25-26

26-27

normalized bonds :

13-14 13-18 14-15 15-16 16-17 17-18 27-28 27-32 28-29 29-30 30-31 31-32

isolated ring systems :

containing 1 : 13 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:Atom

STRUCTURE UPLOADED L7

=> d

L7 HAS NO ANSWERS

L7

STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s 17

SAMPLE SEARCH INITIATED 12:02:18 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 135 TO ITERATE

100.0% PROCESSED

135 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

2003 TO 3397

PROJECTED ANSWERS:

0 TO

L8

0 SEA SSS SAM L7

=> s 17 full

FULL SEARCH INITIATED 12:02:21 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 2423 TO ITERATE


100.0% PROCESSED 2423 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

0 SEA SSS FUL L7 L9

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10542044.str



chain nodes : 6 7 8 9 10 11 12 23 24 ring nodes : 27 1 2 3 4 5 13 14 15 16 17 18 chain bonds : 25-26 26-27 6-7 6-8 9-10 10-11 10-12 14-23 23-24 24-25 ring bonds : 1-2 1-5 2-3 3-4 4-5 13-14 13-18 14-15 15-16 16-17 17-18 27-28 27-32 28-29 29-30 30-31 31-32 exact/norm bonds : 1-2 1-5 2-3 3-4 4-5 6-7 6-8 9-10 10-11 10-12 14-23 23-24 24-25 25-26 26-27 normalized bonds : 13-14 13-18 14-15 15-16 16-17 17-18 27-28 27-32 28-29 29-30 30-31 31-32 isolated ring systems : containing 1 : 13 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:Atom

L10 STRUCTURE UPLOADED

=> d L10 HAS NO ANSWERS L10 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT * Structure attributes must be viewed using STN Express query preparation.

=> s 110
SAMPLE SEARCH INITIATED 12:03:11 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 135 TO ITERATE

100.0% PROCESSED 135 ITERATIONS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

2003 TO 3397

PROJECTED ANSWERS:

0 TO

1.11

0 SEA SSS SAM L10

=> s l10 full

FULL SEARCH INITIATED 12:03:15 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED -

2423 TO ITERATE

100.0% PROCESSED 2423 ITERATIONS

0 ANSWERS

0 ANSWERS

SEARCH TIME: 00.00.01

L12

0 SEA SSS FUL L10

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY 715.28 716.33

SESSION

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 12:03:19 ON 09 JAN 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Jan 2008 VOL 148 ISS 2 FILE LAST UPDATED: 8 Jan 2008 (20080108/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> fil req

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

FULL ESTIMATED COST

ENTRY 0.48

SESSION 716.81

FILE 'REGISTRY' ENTERED AT 12:03:23 ON 09 JAN 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 JAN 2008 HIGHEST RN 960198-43-0 DICTIONARY FILE UPDATES: 8 JAN 2008 HIGHEST RN 960198-43-0 New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=> d his

(FILE 'HOME' ENTERED AT 11:55:38 ON 09 JAN 2008)

FILE 'REGISTRY' ENTERED AT 11:58:22 ON 09 JAN 2008 STRUCTURE UPLOADED L133 S L1 L2 778 S L1 FULL L3STRUCTURE UPLOADED L42 S L4 L5 7 S L4 FULL L6 STRUCTURE UPLOADED L7 0 S L7 L80 S L7 FULL L9 STRUCTURE UPLOADED L100 S L10 L110 S L10 FULL L12

FILE 'CAPLUS' ENTERED AT 12:03:19 ON 09 JAN 2008

FILE 'REGISTRY' ENTERED AT 12:03:23 ON 09 JAN 2008

=> s 16

SAMPLE SEARCH INITIATED 12:03:28 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 135 TO ITERATE

100.0% PROCESSED 135 ITERATIONS

2 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: PROJECTED ANSWERS:

2003 TO 3397 2 TO 124

L13 2 SEA SSS SAM L4

=> s 16 and caplus/lc 55823518 CAPLUS/LC L14 7 L6 AND CAPLUS/LC

=> fil caplus

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 5.61 722.42

FILE 'CAPLUS' ENTERED AT 12:03:39 ON 09 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Jan 2008 VOL 148 ISS 2 FILE LAST UPDATED: 8 Jan 2008 (20080108/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 114

L15 1 L14

=> d ibib abs hitstr 1

L15 ANSWER 1 OF 1
ACCESSION NUMBER:
DOCUMENT NUMBER:
141:157026
Preparation of thiophenylcarboxamides as IKK-2
inhibitors for the treatment of inflammatory

Morley, Andrew David: Poyser, Jeffrey Philip Astrazeneca Ab, Swed.; Astrazeneca UK Limited PCT Int. Appl., 46 pp. CODEM: PIXXD2 diseases INVENTOR (5): PATENT ASSIGNEE(S): SOURCE:

DOCUMENT TYPE:

Patent English LANGUAGE:

FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

									APPLICATION NO.						DATE				
		WO 2004062195						WO 2004-GB106						20040313					
									AZ,										
			CN,	co,	CP,	CII,	C7	DE,	DK,	DM.	DZ		EC.	EE.	EG.	ES.	FI.	GB.	GD.
			CF,	CV,	GM,	up,	uti	ID,	IL,	TN.	TS		JP.	KE.	KG.	KP.	KR.	KZ.	LC.
			t V	t D	10	IT.	111	IV,	MA,	MD,	MO	-	MK,	MN.	MW.	MX.	MZ.		,
	811	2004	2030	67	шэ,	D1	ш,	2004	0729	,	AII	20	04-	2039	67	,	2	0040	113
	~~	2512	336	٠.		A 1		2004	0729		2	20	04-	2512	336		2	0040	113
	EP	1583	756			Δ1		2005	1012		EP	20	04-	7016	32		2	0040	113
									1003								_		
	٠.								FR,		GF	١.	IT.	LI.	LU.	NL.	SE,	MC,	PT.
			TE	ST	LT	LV.	FT.	RO.	MK.	CY.	AΙ		TR.	BG.	CZ.	EE.	HU.	SK	
	BR	2004	0067	74	,	Α,		2005	1227 0222 0525 1015	,	BR	20	04-	6774			2	0040	113
	CN	1738	B12	•		A		2006	0222		CN	20	04-	8000	2304		2	0040	113
	JP	2006	5153	55		T		2006	0525		JP	20	06-	5002	06		2	0040	113
	AT	3747	62			T		2007	1015		AT	20	04-	7016	32		2	0040	113
	ZA	2005	0051	90		A		2006	0426		ZA	20	05-	5190			2	0050	627
									0930		МΧ	20	05-	PA73	40		2	0050	706
									0525		US	20	05-	5420	44		2	0050	713
	NO	2005	0038	10		А		2005	1012		NO	20	05-	3810			2	0050	812
PR	IORIT	APE	LN.	INFO	.:						SE	20	03-	91			A 2	0030	115
																	A 2		

OTHER SOURCE(S):

MARPAT 141:157026

L15 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

3-Thiophenecarboxamide, 2-[(aminocarbonyl)amino]-5-[2-[2-[[(4-chlorophenyl)methyl]methylamino]ethoxy]phenyl]- (CA INDEX NAME)

727741-83-5 CAPLUS

3-Thiophenecarboxamide, 2-[(aminocarbonyl)amino]-5-[2-(2-[(phenylmethyl)amino]ethoxy]phenyl]- (CA INDEX NAME)

727741-84-6 CAPLUS

3-Thiophenecarboxamide, 2-{(aminocarbonyl)amino}-5-{2-{2-[methyl(phenylmethyl)amino}ethoxy]phenyl}- (CA INDEX NAME)

L15 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

AB Title compds. I [R1 = H, CH3; R2 = H, halo, CN, etc.; X = C(R4R5)yNR3(CR4R5)m-Ar; y = n + 1; n = 1-3; m = 0-3; R3 = H, (un)aubstituted alkenyl, alkyl; R4, R5 = H, alkyl with provisos; Ar = Ph ring or a 5- or 6- membered heterocyclic ring containing one to three heteroatoms, e.g., Q, N, S;] and their pharmaceutically acceptable salts were prepared For example, Pd mediated coupling of 2-[(aminocarbonyl)amino]
5-bromothiophene-3-carboxamide and bromide II, e.g., prepared from 1-bromo-2-[2-chloroethoxylbenzene and N-methylbenzylamine, afforded thiophenylcarboxamide III. In IKK-2 filter kinese inhibition assays, 6-examples of compds. I are claimed useful for the treatment of inflammatory diseases.

IT 727741-81-3P 727741-82-4P 727741-83-5P, 2-[(Aminocarbonyl)amino]-5-[2-[2-(benzylamino)ethoxylphenyl)thiophene-3-carboxamide 727741-84-6P, 2-[(Aminocarbonyl)amino]-5-[2-[2-(benzyl-N-methylamino)ethoxylphenyl)thiophene-3-carboxamide 727741-88-0P, 2-{(Aminocarbonyl)amino]-5-[2-[2-[4-(fluorobenzyl)amino]cs])thiophene-3-carboxamide RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREF (Preparation); USES (Uses)

(preparation of thiophenylcarboxamides as IKK-2 inhibitors for the

(preparation of thiophenylcarboxamides as IKK-2 inhibitors for the treatment

tment
 of inflammatory diseases.)
727741-81-3 CAPLUS
3-Thiophenecarboxamide, 2-{(aminocarbonyl)amino)-5-[2-[2-[[(2-chlorophenyl)methyl]methylamino]ethoxylphenyl]- (CA INDEX NAME)

(Continued) L15 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

727741-88-0 CAPLUS
3-Thiophenecarboxamide, 2-[(aminocarbonyl)amino]-5-[2-[2-[[(4-fluorophenyl)methyl]amino]ethoxy]phenyl)- (CA INDEX NAME)

727741-95-9P, tert-Butyl N-[2-[2-[3-[aminocarbonyl]-2-[(aminocarbonyl) amino[thien-5-yl]phenoxy]ethyl]-N-benzylcarbamate 727742-03-2P, tert-Butyl N-[2-[2-[3-[aminocarbonyl]-2-[(aminocarbonyl)]-mino[thien-5-yl]phenoxy]ethyl]-N-[4-fluorobenzyl]carbamate RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant)

(Reactant or reagent)
(preparation of thiophenylcarboxamides as IKK-2 inhibitors for the treatment

iment
 of inflammatory diseases.)
727741-95-9 CAPLUS
Carbamic acid, (2-[2-[4-(aminocarbonyl)-5-[(aminocarbonyl)amino]-2thienyl]phenoxy]ethyl](phenylmethyl)-, 1,1-dimethylethyl ester (9CI) (CA
INDEX NAME)

L15 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN (Continued)

727742-03-2 CAPLUS
Carbanic acid, [2-[2-[4-(aminocarbonyl)-5-[(aminocarbonyl)amino]-2thienyl]phenoxylethyl][(4-fluorophenyl)methyl]-, 1,1-dimethylethyl ester
(9CI) (CA INDEX NAME)

=> log y SINCE FILE TOTAL COST IN U.S. DOLLARS ENTRY SESSION 5.93 728.35 FULL ESTIMATED COST TOTAL DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE SESSION ENTRY -0.80 -0.80 CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 12:04:00 ON 09 JAN 2008